


LUCIDE



item number : 28112/30/30

EAN code : 5411212281128

item number : 28112/30/31

EAN code : 5411212281135

**CERES LED**


**General**

**Dimensions LxWxH :** Ø21,5 cm x 4,6 cm  
**Height minimum :** 4,6 cm  
**Height maximum :** 4,6 cm  
**Dimensions shade LxWxH :** Ø 21,5cm x 0,92 cm  
**Main material :** Aluminum, PMMA,Plastic  
**Ceiling rose material :** -  
**Color :** Matt black&Matt white  
**Style :** Modern  
**Shape :** Round  
**Weight :** 0,90 kg  
**Warranty :** 3 years

**Installation of items in bathroom:**

**Product specifications**

**Dimmable :** Yes  
**Light direction :** Around (Diffuse)  
**Adjustable in height :** Not adjustable In Height (Before Installation)  
**Directional :** 120°  
**Cable :** No Cable On Product  
**Cable length :** -  
**Sensor :** Without Sensor  
**Control :** Light Switch Control  
**IP-Class :** Recessed 66, Surface mounted 44  
**Electric class :** 2  
**Light source including ? :** Yes  
**Lamp socket :** No  
**Light source number :** 136pcs  
**Power requirements :** 220-240V~50Hz  
**Bulb type & maximum wattage :** SMD 2016 LED,30W



IP classifications	zone 0	zone 1 minimum	zone 2 minimum	zone 3 minimum

For more specifications of this product please visit [www.lucide.com](http://www.lucide.com)

LUCIDE


**CERES LED**

Item number : 28112/30/30

EAN code : 5 411212281128

Item number : 28112/30/31

EAN code : 5 411212281135



For more specifications, dimensions please visit  
[www.lucide.com](http://www.lucide.com)


Surface mounted installation(IP44)

Opbouw montage(IP44)


Plafonnier(IP44)

Aufbaumontage(IP44)


①




②



③



④




Recessed installation(IP66)

Inbouw(IP66)

Installation encastrée(IP66)

Einbau(IP66)



Dit product bevat een lichtbron van energie-efficiëntieklasse G  
 Ce produit contient une source lumineuse de classe énergétique G  
 This product contains a light source of energy efficiency class G  
 Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse G  
 Ten produkt zawiera ród o wiat a o klasie efektywno ci energetycznej G